

RIM 3 110/230VAC

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Product image



Pluggable protective modules for the D-SERIES relay sockets, with optional protective functions.

- With free-wheeling diode or RC filter

General ordering data

| | |
|------------|---|
| Version | D-SERIES, RC filter, Rated control voltage: 110... 230 V AC, Plug-in connection |
| Order No. | 7760056014 |
| Type | RIM 3 110/230VAC |
| GTIN (EAN) | 4032248878109 |
| Qty. | 10 Stück |

Erstellungs-Datum January 8, 2022 10:32:41 AM CET

Katalogstand 17.12.2021 / Technische Änderungen vorbehalten

RIM 3 110/230VAC

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technische Daten

Dimensions and weights

| | | | |
|------------|---------|-----------------|------------|
| Depth | 28 mm | Depth (inches) | 1.102 inch |
| Height | 8.6 mm | Height (inches) | 0.339 inch |
| Width | 12.4 mm | Width (inches) | 0.488 inch |
| Net weight | 1.7 g | | |

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Control side

| | | | |
|-----------------------|----------------|------------------|----------------|
| Rated control voltage | 110...230 V AC | Status indicator | No |
| Protective circuit | RC element | RC filter | 4.7 kΩ / 10 nF |

General data

| | | | |
|------------------------------------|--------------------------|---------|--|
| Colour | black | | |
| UL94 flammability rating component | Component | Housing | |
| | UL94 flammability rating | V-2 | |

Connection data

Wire connection method Plug-in connection

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC002586 | ETIM 7.0 | EC002586 |
| ETIM 8.0 | EC002586 | ECLASS 9.1 | 27-37-10-10 |
| ECLASS 10.0 | 27-37-10-10 | ECLASS 11.0 | 27-37-16-92 |

Approvals

Approvals



ROHS Conform

Downloads

| | |
|------------------|--|
| Engineering Data | CAD data – STEP |
| Engineering Data | EPLAN, WSCAD |
| Catalogues | Catalogues in PDF-format |
| Brochures | |


RIM 3 110/230VAC

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Zeichnungen

Wiring diagram



Dimensional drawing

