



## Flange Units (Oval)

## UCFL 2 (normal-duty)



Unit No.	Shaft Dia		Dimensions (in.) (mm)										Bolt Used		Bearing No.	Housing No.	Weight Kg.
	d (in.)	d (mm)	a	e	i	g	l	s	b	Z	Bi	n	(mm)	(in.)			
UCFL 201 201-8	1/2	12	4 1/16 113	3 3/8 90	1 1/2 15	1/8 11	1	1 1/2 12	2 3/8 60	1 1/8 33.3	1.2205 31.0	0.5000 12.7	10	3/4	UC 201 201-8	FL 204	0.49
UCFL 202 202-10	5/8	15	4 7/16 113	3 3/8 90	1 1/2 15	1/8 11	1	1 1/2 12	2 3/8 60	1 1/8 33.3	1.2205 31.0	0.5000 12.7	10	3/4	UC 202 202-10	FL 204	0.49
UCFL 203		17	4 7/16 113	3 3/8 90	1 1/2 15	1/8 11	1	1 1/2 12	2 3/8 60	1 1/8 33.3	1.2205 31.0	0.5000 12.7	10	3/4	UC 203	FL 204	0.49
UCFL 204-12 204	3/4	20	4 7/16 113	3 3/8 90	1 1/2 15	1/8 11	1	1 1/2 12	2 3/8 60	1 1/8 33.3	1.2205 31.0	0.5000 12.7	10	3/4	UC 204-12 204	FL 204	0.49
UCFL 205-14 205-15 205	3/4	25	5 1/8 130	3 3/8 99	5/8 16	1/2 13	1 1/8 27	1 1/2 16	2 1/8 68	1 1/8 35.7	1.3386 34.0	0.5630 14.3	14	1/2	UC 205-14 205-15 205	FL 205	0.63
UCFL 205-16	1														UC 205-16		
UCFL 206-18 206	1 1/8	30	5 3/8 148	4 3/8 117	5/8 18	1/2 13	1 1/8 31	1 1/2 16	3 1/8 80	1 1/8 40.2	1.5000 38.1	0.6280 15.9	14	1/2	UC 206-18 206	FL 206	0.94
UCFL 206-19	1 3/8														UC 206-19		
UCFL 207-20 207-21 207-22 207	1 1/4	35	6 1/2 161	5 1/8 130	3/4 19	5/8 14	1 1/2 34	1 1/2 16	3 1/2 90	1 3/4 44.4	1.6890 42.9	0.6890 17.5	14	1/2	UC 207-20 207-21 207-22 207	FL 207	1.2
UCFL 207-23	1 3/8														UC 207-23		
UCFL 208-24 208-25 208	1 1/2	40	6 7/8 175	5 3/8 144	5/8 21	3/8 14	1 1/2 36	1 1/2 16	3 3/8 100	2 1/2 51.2	1.9370 49.2	0.7480 19.0	14	1/2	UC 208-24 208-25 208	FL 208	1.6
UCFL 209-26 209-27 209-28 209	1 3/8	45	7 1/2 188	5 3/8 148	5/8 22	3/8 15	1 1/2 38	1 1/2 19	4 1/4 108	2 1/8 52.2	1.9370 49.2	0.7480 19.0	16	3/4	UC 209-26 209-27 209-28 209	FL 209	1.9
UCFL 210-30 210-31 210	1 3/8	50	7 3/4 197	6 3/8 157	5/8 22	3/8 15	1 1/2 40	1 1/2 19	4 1/2 115	2 3/8 54.6	2.0315 51.6	0.7480 19.0	16	3/4	UC 210-30 210-31 210	FL 210	2.2
UCFL 211-32 211-34 211	2	55	8 3/8 224	7 1/4 184	5/8 25	3/8 18	1 1/2 43	1 1/2 19	5 1/8 130	2 3/8 58.4	2.1890 55.6	0.8740 22.2	16	3/4	UC 211-32 211-34 211	FL 211	3.2
UCFL 211-35	2 3/8														UC 211-35		
UCFL 212-36 212	2 1/4	60	9 1/2 250	7 3/8 202	1 1/8 29	3/8 18	1 1/2 48	1 1/2 23	5 1/2 140	2 3/8 68.7	2.5630 65.1	1.0000 25.4	20	3/4	UC 212-36 212	FL 212	4.1
UCFL 212-38 212-39	2 3/8														UC 212-38 212-39		
UCFL 213-40 213	2 1/2	65	10 5/8 258	8 1/8 210	1 3/8 30	3/8 20	1 1/2 50	1 1/2 23	6 3/8 155	2 3/4 69.7	2.5630 65.1	1.0000 25.4	20	3/4	UC 213-40 213	FL 213	5.1
UCFL 214-44 214	2 3/4	70	10 1/8 265	8 1/2 216	1 1/2 31	3/8 20	2 1/8 54	1 1/2 23	6 3/8 160	2 3/8 75.4	2.9370 74.6	1.890 30.2	20	3/4	UC 214-44 214	FL 214	5.9
UCFL 215 215-48	3	75	10 3/8 275	8 1/4 225	1 1/2 34	3/8 20	2 1/8 56	1 1/2 23	6 1/2 165	3 3/8 78.5	3.0630 77.8	1.3110 33.3	20	3/4	UC 215 215-48	FL 215	6.4
UCFL 216		80	11 1/2 290	9 1/4 233	1 1/2 34	3/8 20	2 1/8 58	1 1/2 25	7 3/8 180	3 3/8 83.3	3.2520 82.6	1.3110 33.3	22	3/4	UC 216	FL 216	7.9
UCFL 217-52 217	3 1/4	85	12 305	9 3/8 248	1 3/4 36	1/2 22	2 1/2 63	1 1/2 25	8 1/8 190	3 3/8 87.6	3.3740 85.7	1.3425 34.1	22	3/4	UC 217-52 217	FL 217	9.6
UCFL 218-56 218	3 1/2	90	12 1/2 320	10 7/8 265	1 3/4 40	3/8 23	2 1/8 68	1 1/2 25	8 1/8 205	3 3/8 96.3	3.7795 96.0	1.5630 39.7	22	3/4	UC 218-56 218	FL 218	12.1